(SRI T. CHANNIAH.)

List showing the villages in Chiknakanahalli Taluk in which there are no drinking water wells—*concld.*

25	Sala pura	32	Byadorahalli
26	Hanumanthanahalli	33	Upparahalli
27	Sondenahalli	34	Lakmagondanahalli
28	Devanadahosahalli	35	Thammadihalli
29	Malligere	36	Kandikere
30	Belaguli	37	Madapura
31	Byadarahalli	38	Bhattarahalli

Dispensaries (Proposals to open in Chikmagalur District).

Q.—593. **Sri Y. M. CHANDRASEKHARIAH** (Kadur).—

Will the Government be pleased to state:—

(*a*) the number of hospitals they intend to sanction in Chikmagalur District;

(*b*) whether they have not received an application from Panchanahally in Kadur Taluk requesting for a Local Fund Dispensary;

(*c*) the steps taken by them in this behalf?

A.—**Sri T. CHANNIAH** (Minister for Public Health and Local Self-Government).—

(*a*) Representations have been received for the opening of dispensaries at the following places in Chikmagalur District:—

1 Krishnarajapet.
2 Shivane.
3 Panchanahalli.
4 Hosapate.
5 Sollapura.
6 Hulikere.

The question of opening dispensaries at Krishnarajapet, Shivane, Panchanahalli, Sollapura and Hulikere is under considaration.

(*b*) Yes.

(*c*) The request was examined, in cousultation with the District Medical officer, Chikmagalur, who was of opinion that there was need for a dispensary at the place. He has reported that there were no suitable buildings for housing the dispensary. The question is deferred till suitable buildiugs are made available permanently for the dispensary and for the staff to live in.

Water Supply to Hangala Village.

Q.—615. **Sri H. K. SHIVARUDRAPPA** (Gundlupet-Heggadadevanakote).—

Will the Government be pleased to State:—

(*a*) the arrangement made to supply water to the Hangala village, Gundlupet Taluk;

(*b*) whether the Hon'ble the Chief Minister has not given an assurance to get this done early?

A.—**Sri T. CHANNIAH** (Minister for Public Health and Local Self-Government).

(*a*) No arrangement could be made as the Village Panchayet is not able to meet even a fraction of the estimate prepared to give water to the place or to meet the maintenance charges. The maintenance charges will get reduced if the village is electrified and an electric pump is installed. The question of electrification of the village is under consideration and this question will be taken up after electrification.

(*b*) No.

Central Malaria Control Scheme (inclusion of Arasikere Taluk).

Q.—652. **Sri K. PANCHAKSHARIAH** (Arasikere).—

Will the Government be pleased to state:—